



HD Series

Cold Water Pressure Washers

North America's #1 Brand of High-Pressure Cleaning Equipment

Gasoline / Modular Design Belt or Direct Drive Models

Durable weld free, corrosion resistant **aluminum frame**

Low profile **handle** is easy to push and pull

Durable VRT3 **unloader** with bypass loop diverts water flow when trigger gun is not activated

Five, high-pressure **stainless steel nozzles**: 0°, 15°, 25°, 40° and a detergent nozzle

Professional-duty **trigger gun and spray wand** with adjustable side grip

Reliable **Honda GX** commercial-duty gasoline engines with 3-year warranty

Downstream detergent injection allows remote detergent injection

Heavy-duty Triplex pump comes with 7-year warranty

Flat free tires are puncture proof and ready to roll when you need them

50 ft. wire-braided hose includes guards, couplers and swivels at both ends

Electric start models include battery

FEATURES

- 3 to 4 GPM / 2700 to 4000 PSI
- Honda gasoline engines
- Modular design for easy transition between cart and skid style
- Recoil or electric-start gas-engine models



Direct-drive HD 3.0127 AG model shown as skid

HD SERIES Cold Water Models

■ 6.5-13 HP Honda engines ■ 3 to 4 GPM @ 2700 to 4000 PSI ■ Compact / modular design ■ 7-yr Hotsy pump warranty

The Hotsy HD Series: Modular Pressure Washers Offering Powerful Cold-Water Cleaning

SPECIFICATIONS

MODEL	GPM	PSI	CC's (HP)	ENGINE	START	PUMP MODEL	DRIVE	HOSE	DIMENSIONS	SHIP WT (lbs)
HD 3.0/27 AG	3.0	2700	196 (6.5)	Honda GX200	RECOIL	LP3535G1	DIRECT	50'	41" Lx22" Wx24" H	112
HD 3.4/35 AG	3.4	3500	270 (9)	Honda GX270	RECOIL	LB3030R	DIRECT	50'	41" Lx22" Wx24" H	130
HD 4.0/41 AG	4.0	4100	389 (13)	Honda GX390	RECOIL	LS4040G.3	DIRECT	50'	43" Lx26" Wx27" H	149
HD 4.0/41 AGe*	4.0	4100	389 (13)	Honda GX390	ELECTRIC	LS4040G.3	DIRECT	50'	43" Lx26" Wx27" H	158
HD 3.0/27 AGB	3.0	2700	196 (6.5)	Honda GX200	RECOIL	LP3535G	BELT	50'	41" Lx22" Wx24" H	123
HD 3.3/35 AGB	3.3	3500	270 (9)	Honda GX270	RECOIL	LM3540R.3	BELT	50'	41" Lx22" Wx24" H	156
HD 4.0/40 AGB	4.0	4000	389 (13)	Honda GX390	RECOIL	LM3840R.3	BELT	50'	43" Lx26" Wx27" H	160
HD 4.0/40 AGB*	4.0	4000	389 (13)	Honda GX390	ELECTRIC	LM3840R.3	BELT	50'	43" Lx26" Wx27" H	196

*Battery included

DON'T FORGET THE SOAP!

Hotsy pressure washers clean best when matched with specially formulated Hotsy detergents. Nearly all contain Hotsy's exclusive advanced-formula HCC additives to help prevent scale build-up and to fight corrosion in your equipment. All are highly concentrated, so a little goes a long way.



HOTSY SOLUTION SELECTOR
What's the best detergent for your next job? Find out with our solution selector. Scan this QR code or visit HOTSY.com

SERVICE & REPAIR

Hotsy has more than 175 local dealers in North America, all factory-trained to properly evaluate your high-pressure cleaning needs.

Hotsy has factory-trained service technicians who will provide on-site maintenance for your cleaning equipment. Our techs have most common replacement parts on their service truck, and will quickly have your washer running smoothly.



FIND OUT MORE ONLINE: HOTSY.COM

hotsy® *Nothing Cleans Like a Hotsy!*

Tel: (800) 525-1976 Fax: (888) 880-9631
www.Hotsy.com email: info@Hotsy.com

P/N 9.803-4730 Effective 3/16

Specifications & product descriptions subject to change without notice.

Hotsy's manufacturing facilities have established and apply a quality and environmental management system to be ISO 9001:2008 and ISO 14001:2001 certified.
A member of KÄRCHER North America © 2016 Hotsy



OPTIONS FOR HD SERIES

- Skid Mount Fee
- Pallet Skid
- Hose Storage
- Hose Reel
- 37.5" Handle
- Gun Storage

PARTS & ACCESSORIES

Your local Hotsy dealer stocks a number of accessories designed to speed cleaning. The most common accessories are telescoping wands, pivot and non-pivot hose reels, flat surface cleaners and high pressure turbo nozzles.

Hotsy dealers also stock thousands of pressure washer replacement parts such as high pressure hose, trigger guns, high pressure nozzles, pumps, unloaders, filters and wands.



Distributed by:

NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We meet the CETA testing specs for machine performance at $\pm 10\%$ and in some cases are tighter within $\pm 5\%$ of listed specifications.